

Phenolic Partitions
by ASI Group

HPD UNIQUE IDENTIFIER: 84535999

HPD UNIQUE PRODUCT ID: Not provided.

CLASSIFICATION: 10 21 13.17 Phenolic-Core Toilet Compartments

PRODUCT DESCRIPTION: Holds up even under severe moisture conditions from showers, pools and saunas, or when maintenance includes hosing down toilet partitions. Ideal for where vandalism is a problem. In a full color spectrum—all with black edges. Styles and Configurations: Floor Anchored/Overhead Braced, Floor Anchored, Ceiling Hung, Floor to Ceiling Anchored, Ultimate Privacy™ Privacy: Ultimate Privacy™, No-Sight Privacy Strips Fire Rating: B (A) Warranty: 25 Years

SCREENING DATE: 2026-10-20

PUBLISHED DATE: 2026-10-20

EXPIRY DATE: 2029-10-20

PREPARER: Self-Prepared

Health Product Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	
→ Nested Materials Method	Completed in 2 of 2 Materials	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per	Explanation(s) provided for Residuals/Impurities?	Characterized Yes
→ Product	Yes	Provided weight and role.
Threshold Level		Screened Yes
→ 1,000 ppm		Provided screening results using HPDC-approved methods.
		Identified No
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.	Number of Greenscreen BM-4/BM3 contents ... 0
NESTED MATERIAL MATERIAL OR SUBSTANCE RESIDUAL OR IMPURITY	Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
GREENSCREEN SCORE HAZARD TYPE	Nanomaterial ... No
PHENOLIC [KRAFT PAPER NoGS MELAMINE LT-P1] END CAN MUL MAM	INVENTORY AND SCREENING NOTES:
MELAMINE/FORMALDEHYDE RESIN LT-UNK PHENOL-FORMALDEHYDE RESIN LT-P1	This HPD was completed in accordance with HPD Open Standard 2.3 and discloses hazards with all substances present at or above 1000 PPM in the finished product, along with the role and percentage of total weight of the substance in the typical product configuration. Substances listed as "Undisclosed" are considered proprietary to suppliers.
ALUMINUM OXIDE BM-2] CAN MAM C.I. SOLVENT BLACK 7 NoGS DECETH-7	
CARBOXYLIC ACID SODIUM SALT NoGS] MIXED HARDWARE [304 STAINLESS STEEL	
NoGS ALUMINUM LT-P1] END CAN MAM PHY STEEL NoGS ZAMAK 2 NoGS]	

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.	COMPLIANCE See Section 3 for additional listings.
	VOC emissions: Intertek ETL Environmental VOC
	CONSISTENCY WITH OTHER PROGRAMS
	Pre-checked for LEED v4.1 Option 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

PHENOLIC

%: 99.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals or impurities with the potential to be present at or above the Content Inventory Threshold which are listed with a GS score of BM-1, LT-1, LT-P1, or NoGS have been disclosed, based on data provided in supplier statements, supplier SDS, and as predicted by process chemistry (Pharos CML).		
OTHER MATERIAL NOTES: Percentages of total weight of materials and substances are listed in ranges of values due to multiple colors or configurations available.		

KRAFT PAPER

ID: Not Registered

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-10-20 6:41:39		
%: 40.0000 - 80.0000	GreenScreen: NoGS	RC: PostC	NANO: Unknown	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Post-consumer recycled content varies by product type. For detailed information see www.wilsonart.com				

MELAMINE

ID: 108-78-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-10-20 6:41:39		
%: 2.3000 - 35.0000	GreenScreen: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
CAN	IARC		Group 2b - Possibly carcinogenic to humans	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
CAN	EU - Annex VI CMRs		Carcinogen Category 2 - Suspected human Carcinogen	
CAN	GHS - Australia		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	

MAM	EU - SVHC List	Equivalent Concern - Prioritization List
MAM	EU - SVHC List	Equivalent Concern - Candidate List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Flame Retardants
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Restrictions Based on Hazard Endpoints and Risk (Silver)
SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.		

MELAMINE/FORMALDEHYDE RESIN

ID: 9003-08-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-10-20 6:41:39	
%: 2.3000 - 35.0000	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Flame Retardants		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective July 10, 2026 Red List substances to avoid in Living Building Challenge V4.0 projects		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products		
SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.				

PHENOL-FORMALDEHYDE RESIN

ID: 9003-35-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-10-20 6:41:40	
%: 0.0000 - 34.0000	GreenScreen: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective July 10, 2026		

SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-10-20 6:41:40

%: 0.0000 - 0.7000 GreenScreen: BM-2 RC: None NANO: Unknown SUBSTANCE ROLE: Abrasion resistance

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products

SUBSTANCE NOTES: This substance is used to improve abrasion.

C.I. SOLVENT BLACK 7

ID: 8005-02-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-10-20 6:41:39

%: 0.0000 - 0.4700 GreenScreen: NoGS RC: None NANO: Unknown SUBSTANCE ROLE: Dye

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This colorant is used in some HPL products.

DECETH-7 CARBOXYLIC ACID SODIUM SALT

ID: 38815-93-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-10-20 6:41:39

%: 0.0200 - 0.0400 GreenScreen: NoGS RC: None NANO: Unknown SUBSTANCE ROLE: Anti-adhesive agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
None found		No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This is used as a release agent in this product.			

MIXED HARDWARE

%: 5.0000 - 8.0000

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated which have a GS score of BM-1, LT-1, LT-P1 or NoGS as predicted by process chemistry (Pharos CML).		
OTHER MATERIAL NOTES: Percent by weight of material and substances related to hardware reported as ranges due to the various sizes and configurations available. All substances known to be present in the standard hardware at or above the disclosure threshold have been listed.		

304 STAINLESS STEEL				ID: 12597-68-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-10-20 6:41:39	
%: 32.4000 - 45.3000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

ALUMINUM				ID: 7429-90-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-10-20 6:41:40		
%: 8.0000 - 44.7000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
PHY	GHS - New Zealand	Flammable solids category 1		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]		
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]		

PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
SUBSTANCE NOTES: Continuous brackets, headrail.		

STEEL

ID: 12597-69-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-10-20 6:41:40		
%: 1.8000 - 25.3000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Bright galvanized steel. Fasteners and other hardware for floor and ceiling mounting. Range given reflects various mounting configurations.				

ZAMAK 2

ID: Not Registered

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-10-20 6:41:39		
%: 21.1000 - 21.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Intertek ETL Environmental VOC

COMPLIANCE TYPE: Third Party	ISSUE DATE: 2025-11-24	EXPIRY DATE: 2027-01-14
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Intertek		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: Global Partitions		
COMPLIANCE URL:		
https://sustainabilitydirectory.intertek.com/images/certificates/d0cce49-aeb5-45df-a51f-d9b57dca050c_CA-10001-2024b.pdf		
COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Black Core Phenolic holds up even under severe moisture conditions from showers, pools and saunas, or when maintenance includes hosing down toilet partitions. Ideal for where vandalism is a problem. In a full color spectrum—all with black edges.

Styles and Configurations: Floor Anchored/Overhead Braced, Floor Anchored, Ceiling Hung, Floor to Ceiling Anchored, Ultimate Privacy™
Privacy: Ultimate Privacy™, No-Sight Privacy Strips
Fire Rating: B (A)
Warranty: 25 Years

Color-Thru™ Phenolic lives up to its name, with surface color through and through. This product is impact, scratch and graffiti resistant. It also has excellent screw-holding power and all the advantages of traditional Phenolic performance.

Styles and Configurations: Floor Anchored/Overhead Braced, Floor Anchored, Ceiling Hung, Floor to Ceiling Anchored, Ultimate Privacy™
Privacy: Ultimate Privacy, No-Sight Privacy Strips
Fire Rating: A
Warranty: 25 Years



MANUFACTURER INFORMATION

MANUFACTURER: **ASI Group**
ADDRESS: **441 Saw Mill River Road Yonkers, NY 10701-4913**
Yonkers, NY 10701
COUNTRY: **United States**

WEBSITE: **https://asi-globalpartitions.com/products/black-core-phenolic/**
CONTACT NAME: **Kyle Larson**
TITLE: **Director of Sales**
PHONE: **7068272700**
EMAIL: **klarson@asi-globalpartitions.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.