

**Toilet  
Partitions**



# **ONLY ASI OFFERS THE LARGEST SELECTION OF DESIGNER OPTIONS IN THE INDUSTRY.**

Moisture  
Guard™  
Plastic  
Laminate

P. 10

Powder  
Coated

P. 8

Stainless  
Steel

P. 9

Phenolic

P. 13



Introducing the largest collection of partitions from one source. Since 1960, ASI® Global Partitions has been providing high-performance toilet partitions that meet or exceed specifications, require little maintenance, withstand the rigors of some very difficult environments, and provide a lifetime of low-cost of ownership. Only ASI® offers the most comprehensive collection of toilet partitions available anywhere. Welcome to choice—welcome to the new ASI.



Solid Plastic, Phenolic, Powder Coated, Stainless Steel or Moisture Guard™ Plastic Laminate partitions ready to ship **within 48 hours.**



**Solid Plastic** P.12

**Alpaco Collection** P.5

## ALPACO ELEGANCE PARTITIONS

Elegance Partitions in Yellow with stainless steel hardware and pedestals. With sophisticated details, Elegance is our most graceful and refined partition system.



### Support System

Pilasters and side panels are supported by the top rail using stainless steel clips.



### Headrail Corner Assembly

The corners of the stainless steel headrail are held by a 90 degree curved stainless steel bracket.

*Available in a wide range of Wilsonart® and Formica® colors and finishes.*

*The Alpaco Collection is made of Phenolic.*





# A PIECE OF EUROPE—MADE IN AMERICA

## THE NEW ASI ALPACO™ COLLECTION

Introducing the ASI Alpaco™ Collection—a marriage of European design and engineering with the American manufacturing ingenuity you have come to expect from ASI—with the shortest lead times in the industry. The Collection is made from Phenolic and offers sleek hardware, robust construction, and zero sightline doors and pilasters that meet in a flush finish with routed, overlapping closures for guaranteed privacy.

The **Alpaco Collection** Includes:

**Elegance** Partitions **P.4-5** | **Classic** Partitions **P.6** | **Kids** Partitions **P.7**



#### **Beveled Edges**

All edges are beveled and have an engineered polished black finish.



#### **Occupancy Indicator**

Occupancy latch with an emergency unlatching device indicates when cubicle is occupied.



#### **Flush Finish Self-Closing Doors**

All of our self-closing doors and pilasters meet in a flush finish with routed, overlapping closures for guaranteed privacy.



#### **Designer Pedestals and Hardware**

Our partitions are equipped with attractive, adjustable pedestals for quick and easy leveling. Total adjustability range is 2".

## Dramatic lines, bold hardware and stunning adjustable pedestals define our **Classic collection.**

A marriage of simplicity and functionality creates a collection that has ASI's exclusive Ultimate Privacy™ at its heart. Zero sightline doors and pilasters meet in a flush finish with routed, overlapping closures for guaranteed privacy.



### **Dramatic Pedestals**


Adjustable pedestals allow for any inconsistencies in the floor to be addressed and leveled.

*Available in a wide range of Wilsonart® and Formica® colors and finishes.*

*The Alpaco Collection is made of Phenolic.*

## **Kids collection** is a durable and fun partition system for nursery and elementary school washrooms.

Our child friendly partitions are engineered to offer the best and safest features. Door and panel heights are sized to be more appropriate for children, and doors are finished at the top in a semi-circle for a playful look and feel. For safety, doors have only fixed knobs, so caretakers have access to the partitions.



**Safety Features**  
Rubber profile inserted between the doors and pilasters prevent injury to hands and fingers.

*Available in a wide range of Wilsonart® and Formica® colors and finishes.*

*The Alpaco Collection is made of Phenolic.*

## Powder coated steel with a honeycomb core for solid construction and sound attenuation.

The powder coating and galvanized steel on these partitions provide quality and economy. The finish is resistant to wear, fading and scuffing. It is easily cleaned and wiped dry. For standard features see pages 18-19.

**Options:** Stainless Steel Stirrup Brackets, Stainless Steel Door Hardware, Continuous Anodized Aluminum and Stainless Steel Brackets, Continuous Piano Hinges and Ultimate Privacy™.



Shipped In  
**48**  
HOURS

### STANDARD FINISH:



White 2129



Almond 2103



Sage 2141



Red 2145



Dark Khaki 2109



Khaki 2115



Burgundy 2148



Gray 2125



Charcoal 2123



Metallic Silver 2171



Azure 2101



Royal Blue 2135



Sandy Beach 2150



Pepper Dust 3590



Black 2127




## The durability and elegance of type 304 stainless steel complements any washroom.



Stainless steel toilet partitions provide a modern look and retain their beauty indefinitely. By adding a textured finish, increased resistance to vandalism can be achieved. Available in all four mounting styles. For standard features see pages 18-19. **Options:** Stainless Steel Stirrup Brackets, Stainless Steel Door Hardware, Wood Core, Continuous Anodized Aluminum and Stainless Steel Brackets, Continuous Piano Hinges and Ultimate Privacy.™




### STANDARD FINISH:



#4 Satin

### OPTIONAL FINISH SELECTIONS:



Diamond




Leather Grain

*Partitions above shown in Ultimate Privacy.™*

## Moisture Guard™ plastic laminate, the finish of choice when aesthetics are essential.

Introducing the new Plastic Laminate Partitions with Moisture Guard™ Edge Banding fuses with the substrate creating a seamless beveled profile that eliminates any unsightly black lines that appear in standard Plastic Laminate. ASTM tests on Moisture Guard™ Edge Banding confirms 3X greater durability with increased resistance to moisture and humidity than standard Plastic Laminate. Standard Plastic Laminate is also available, visit [asi-globalpartitions.com](http://asi-globalpartitions.com)



















































*To save you even more time our Easy Stall Shoe speeds up the installation process. Easy Stall Shoe in Floor Anchored/Overhead Braced only.*



# **MOISTURE GUARD™ PLASTIC LAMINATE COLOR SELECTION:**

**NEW 48 Colors in 48 Hours.** We have increased our selection of Moisture Guard™ Edge Banding to **48 colors** and patterns to offer you even greater choice in durability and elegance... **AND** we will ship you these colors in **48 hours\*** from the time you approve your order.

					
Mission White 1010	Almond 4000	Sand 4010	Khaki Brown 4040	Taupe 9096	Green Slate 5093
					
**Crisp Linen 1150	Neutral Glace 1130	Western Suede 4110	Burgundy 5450C	Natural Canvas 4410	**Stepping Stone 9570
					
**Casual Linen 4538	**Satin Stainless 5030	Natural Tigris 4611	Tungsten EV 4801	Carrara Bianco 1096	**Burnt Strand 5107
					
**Windswept Bronze 9292	**Gray Linen 3750	**Earthen Warp 4580	**Afternoon Nap 9120	Smoke 8450	Autumn Indian 9150
					
Navy Blue 7450	Spectrum Blue 5051	Brittany Blue 7010	Navy Graphix 7318	Silver Gray 3000	Dove Gray 3010
					
Folkstone Celesta 3300	Canyon Zephyr 3713	**Vapor Strandz 5039	**Windswept Pewter 3849	Storm Solidz 3542	Graphite Graphix 3020
					
Rustic Slate 5088	Smoke Quarstone 3350	Graphite 2150	Black 2000	**Maple 9918	**Cherry 9954
					
**Mahogany 9939	**Ebony 9500	**Asian Night 9550	**Washed Knotty Ash 9438	**Weathered Ash 9842	**Reclaimed Denim Fiber 5271

† 48 Colors in 48 hours are only available in Floor Anchored/Overhead Braced.

Actual colors may vary slightly from those shown due to limitations in the printing process.

\* Should you require different colors we will provide partitions in the Standard Plastic Laminate construction with the 2-year warranty.

\*\* Directional Pattern—Pattern on panels over 60" wide will run perpendicular to pattern on doors and pilasters. Patterns shown cropped from full size sheet, contact us for additional references.



## Solid Plastic (HDPE) partitions are environmentally safe, mildew, rust, graffiti and impact resistant.

Solid Plastic partitions are water resistant, unaffected by steam or high humidity and have passed the NFPA 286 fire test criteria. For standard features see pages 18-19. **Options:** Stainless Steel Stirrup Brackets, Stainless Steel Door Hardware, Continuous Piano Hinges, Continuous Anodized Aluminum and Stainless Steel Brackets, Aluminum Door Hardware and No-Sight Privacy Strips. Our most popular colors are also available in 100% post-consumer recycled material.



**Shipped In  
48  
HOURS**

### SOLID PLASTIC (HDPE) COLOR SELECTION:


White 9201	Folkstone Grey 9400	Grey 9200	Cream 9235	Olive 9223	Metallic Silver 9511
Ivory Essence Speckle 9500	Caramel 9658	Mocha 9212	Metallic Bronze 9513	Moss 9233	Charcoal 9237
Azure 9231	Blue 9509	Hunter Green 9508	Burgundy 9211	Black 9205	Black Confetti 9217

### AVAILABLE FINISHES:

	<b>Pebble Grained</b> Available in all non-metallic colors.
	<b>Hammered*</b> Stocked in silver and bronze. Available in all non-speckled colors with additional lead time.
	<b>Tough Texture™ (TT) *</b> Available in all non-speckled colors with additional lead time.

*\*Compartments limits also apply to the non-stocked colors. Consult color card for more definitive color matching.*

## Phenolic provides superior strength, durability and a broad variety of patterns and colors.



Phenolic partitions sheets are fused at high temperature and pressure. In addition to strength and serviceability, a wide range of colors provides limitless design flexibility. Available in Color-Thru (Class "A" Fire Rated Material standard) and Black Core. **Options:** Continuous Piano Hinges, Continuous Anodized Aluminum and Stainless Steel Brackets, Custom Colors and No-Sight Privacy Strips.



Shipped In  
**48**  
HOURS

### BLACK CORE COLOR SELECTION:\*



### COLOR-THRU SELECTION:



\*Shipped in 48 Hours available for Black Core Phenolic. Consult color card for more definitive color matching.

\*\*Directional Pattern – Pattern on panels over 60" wide will run perpendicular to pattern on doors and pilasters. Patterns shown cropped from full size sheet, contact us for additional references.

# SIX DISTINCT MATERIALS TO MATCH ANY AESTHETIC AND PERFORMANCE NEED



## **Stainless Steel**

Gleaming beauty indefinitely. The elegance of stainless steel complements any design scheme. Incorporates the known corrosion resistant benefits of type 304 stainless steel. Satin or textured finish. Available in all styles.

Warranty 5 years\*

Cost Index 255 (355)\*\*



## **Solid Plastic (HDPE)**

Highly resistant to common cleaning agents as well as to moisture, mildew and graffiti. Ideal choice for busy public facilities and high humidity applications—never needs painting and will not easily dent, rust or delaminate. Available in a wide variety of colors and mounting styles. Floor Anchored/ Overhead Braced, Ceiling Hung and Floor and Ceiling Anchored styles.

Warranty 25 years\*

Cost Index 190\*\*



## **Powder Coated Steel**

High-tech quality at an economical price. Thermoset hybrid powder finish on galvanized steel is highly resistant to corrosion, grease, acids, caustics, marks and stains. A broad range of contemporary colors to complement any interior. Available in all styles.

Warranty 3 years\*

Cost Index 100\*\*





### Moisture Guard™ Plastic Laminate

Plastic Laminate Partitions with Moisture Guard™ Edge Banding fuses with the substrate creating a seamless beveled profile that eliminates any unsightly black lines that appear in standard Plastic Laminate. Available in 48 colors/patterns.

**Warranty 5 years\***

**Cost Index 110\*\***



### Black Core Phenolic

Holds up even under severe moisture conditions from showers, pools and saunas, or when maintenance includes hosing down toilet partitions. Ideal for where vandalism is a problem. In a full color spectrum—all with black edges. Available in all styles.

**Warranty 25 years\***

**Cost Index 200\*\***



### Color-Thru Phenolic

Color-Thru Phenolic lives up to its name, with surface color through and through. This product is impact, scratch and graffiti resistant. It also has excellent screw-holding power and all the advantages of traditional Phenolic performance. Available in all styles and attractive colors.

**Warranty 25 years\***

**Cost Index 250\*\***

\* See full warranty on website: [asi-globalpartitions.com](http://asi-globalpartitions.com)  
(2-year warranty for non Moisture Guard™ Plastic Laminate).

\*\* By assigning our materials a designation of 100, you can estimate how much more or less an alternate profile will cost.

## ASI GLOBAL STYLES



### Floor Anchored/Overhead Braced

This economical and sturdy mounting style installs just about anywhere. An anodized aluminum anti-grip head rail secures partitions firmly to the walls.



### Floor Anchored

Simplified construction permits ease of installation anywhere. For concrete floors only: 2" minimum penetration into floor required.



### Ceiling Hung

When used together with wall-hung fixtures, the entire floor is accessible for efficient cleaning. Structural steel ceiling supports are necessary to assure proper installation.



### Floor to Ceiling Anchored

This mounting style is extremely stable and durable as pilasters are anchored into both the concrete floor and the structural ceiling support.



### Alpaco Classic

Zero sightlines, doors and pilasters that meet in a flush finish rebated closure all ensure guaranteed privacy. Style and stability have not been sacrificed in this collection, with robust octagonal head rails.




### Alpaco Elegance

The signature top rail provides structural stability and style. If you're looking for strength, comfort, aesthetics and durability, the Elegance collection has it all.



### Ultimate Privacy™

Our Ultimate Privacy design features doors and panels up to 72" tall and eliminates sightlines into the compartments around the doors.\*



### Urinal & Privacy Screens

#### 1 Wall-Hung Screens

Available in three standard heights: 42", 48" and 58".

#### 2 Post-Mounted Screens

1¾" sq. aluminum post in Floor Mounted or Floor to Ceiling Mounted.

#### 3 Pilaster-Mounted Screens


Available in Floor Mounted, Ceiling Hung, Floor to Ceiling or Overhead Braced.

*\*Shown in Stainless Steel, also available in Phenolic and Powder Coated Steel in all mounting styles.*




## ASI GLOBAL CONSTRUCTION FEATURES

### Stainless Steel & Powder Coated Steel




#### WELDED CORNER

Corners of panels, pilasters and doors are welded to each other and to the adjacent face sheets.




#### UPPER DOOR BRACKET

Internal part of the door. A pin goes through door and bracket for three-point bearing and operates in a nylon bushing in upper hinge bracket.




#### BOTTOM DOOR HINGE

Gravity-positioning hinge provides safe, durable and maintenance free support.




#### CONCEALED LATCH

With emergency access and ADA lever handle.



#### HONEYCOMB CORE

Made of cellular honeycomb. This type of core provides strong construction and sound attenuation.




#### SHOE CONSTRUCTION

One-piece stainless steel, type 304, with #4 satin finish trim shoes are hemmed top and bottom for rigidity and sleek appearance.



#### VANDAL-RESISTANT FASTENERS


Special driver installs fasteners which virtually eliminates unauthorized removal and ensures easy installation.



#### PILASTER MOUNTING


Pilaster adjustments, with floor-mounted jack-leveling device is standard on floor anchored/ overhead braced pilasters.

### Moisture Guard™ Plastic Laminate




#### VANDAL-RESISTANT FASTENERS

Special driver installs fasteners which virtually eliminates unauthorized removal and ensures easy installation.




#### CORE

Particle board core is 45# density to resist warping and ensure a smooth surface.




#### VERTICAL-GRADE LAMINATE

The thickness meets the most demanding partition specification.




#### EMERGENCY ACCESS

Meets ADA requirements. Slotted keeper coupled with gravity hinges allows access in an emergency.



#### DOOR HINGES

Wrap-around mounting and through bolting for vandal resistance.



#### EASY-STALL SHOE

For floor anchored overhead braced.


Easily adjusted leveling bolt.

True concrete anchor screws designed for lasting holding power.

Anchor rated at 2770 lbs. pullout strength.


Fabricated of type 304 stainless steel.

## Solid Plastic (HDPE)




### VANDAL-RESISTANT FASTENERS

Special driver installs fasteners which virtually eliminates unauthorized removal and ensures easy installation.




### EMERGENCY ACCESS

Meets ADA requirements. Slotted keeper coupled with gravity hinges allows access in an emergency.



### 8" ALUMINUM WRAP-AROUND HINGE


Mainstream choice.  
Heavy-duty.



### EASY-STALL SHOE


For floor anchored overhead braced.  
Easily adjusted leveling bolt.  
True concrete anchor screws designed for lasting holding power.  
Anchor rated at 2770 lbs. pullout strength.  
Fabricated of type 304 stainless steel.

## Phenolic




### VANDAL-RESISTANT FASTENERS

Special driver installs fasteners which virtually eliminates unauthorized removal and ensures easy installation.




### EMERGENCY ACCESS

Meets ADA requirements. Slotted keeper coupled with gravity hinges allows access in an emergency.




### VAULT HINGE

Rugged, attractive wrap-around hinge. Extra strong for heavy-duty installations.



### SHOE CONSTRUCTION

One-piece stainless steel, type 304, with #4 satin finish trim shoes are hemmed top and bottom for rigidity and sleek appearance.



### FLOOR STUD MOUNTING SYSTEM

Heavy-duty  $\frac{5}{16}$ " diameter mounting studs adjust height and level pilasters by turning the locknut adjusters.  
For use with stainless steel shoe.

# ASI GLOBAL MATERIAL SELECTION GUIDE

**Legend:** ▲ = Available    ■ = Standard    ■ = Optional

	SOLID PLASTIC (HDPE)	POWDER COATED STEEL
<b>ENVIRONMENTAL DESIGN (LEED v3.0)</b>		
<b>RECYCLED CONTENT</b>		
MR 4.1 - Post Consumer; Standard (Optional)	0% (100%)	67%
MR 4.2 - Post Industrial; Standard (Optional)	33% (0%)	14%
<b>LOW-EMITTING MATERIALS</b>		
IEQ 4.1 - VOC Content of Adhesives (Below defined limits)	N/A	Yes
IEQ 4.2 - VOC Content of Paint (Below defined limits)	N/A	Yes
IEQ 4.4 - Free of Added Urea Formaldehyde Resins	Yes	Yes
<b>APPLICATION</b>		
Fire Rating; Standard (Optional)	NFPA 286 / B	A
Vandal Resistance	High	Average
Ease of Maintenance	High	Average
Wet Area Suitability	High	Low
<b>RELATIVE COST</b> (Powder Coated Steel = 100%)	190%	100%
<b>WARRANTY</b>	25 Years	3 Years
<b>COLOR / FINISH OPTIONS</b>	18 Standard Colors	15 Standard Colors
<b>MOUNTING STYLES</b>		
Floor Anchored/Overhead Braced	▲	▲
Floor Mounted		▲
Ceiling Hung - Maximum Height	96" (Requires X Bracing)	108"
Floor-to-Ceiling - Maximum Height	120"	113"
Ultimate Privacy		▲
<b>HARDWARE</b>		
<b>STIRRUP BRACKETS</b>		
Chrome Plated Zamac		■
Stainless Steel		■
Aluminum	■	
<b>CONTINUOUS BRACKETS</b>		
Stainless Steel	■	■
Aluminum	■	■
<b>HINGES</b>		
Zamac Wrap-Around / Gravity Bottom		■
Stainless Steel Wrap-Around / Gravity Bottom		■
Vault	■	
Continuous Stainless Steel	■	■
8" Aluminum Wrap-Around	■	
Integral	■	
<b>LATCHES</b>		
Zamac Concealed		■
Stainless Steel Concealed		■
Zamac Surface Mount Slide		■
Stainless Steel Surface Mount Slide	■	■
HD Slide w/6" AL Wrap-Around Strike	■	
Brushed Finish Chrome Plated Zamac	■	
<b>TRIM SHOES</b>		
Stainless Steel	■	■



TYPE 304 STAINLESS STEEL STANDARD FINISH (W/OPTIONAL TEXTURED FINISH)		BLACK CORE PHENOLIC	COLOR-THRU PHENOLIC	MOISTURE GUARD™ PLASTIC LAMINATE
72%		N/A	N/A	N/A
18%		27%	15%	95%
Yes		N/A	N/A	Yes
N/A		N/A	N/A	N/A
Yes		Yes	Yes	Yes
A		B (A)	A	C
Average (High)		High	High	Low
Low (Average)		High	High	Average
Low		High	High	Average
255% (355%)		200%	250%	110%
5 Years		25 Years	25 Years	5 Years (2 Years For Non Moisture Guard™ Plastic Laminate).
#4 Satin (Diamond, Leather Grain)		10 Standard Colors	6 Standard Colors	48 Standard Colors
▲		▲	▲	▲
▲		▲	▲	▲
108"		108" (X Bracing Required Above 96")	108" (X Bracing Required Above 96")	108" (X Bracing Required Above 96")
120"		120"	120"	120"
▲		▲	▲	
■				■
■		■	■	■
■		■	■	■
■		■	■	■
■				■
■				■
■		■	■	■
■		■	■	■
■				■
■				■
■		■	■	■
■		■	■	■
■		■	■	■

# ONLY ASI CAN SUPPLY EVERYTHING FOR YOUR WASHROOM

And only ASI Group offers the industry's most cutting-edge hand dryers, soap dispensers, baby changers, paper towel dispensers, partitions, lockers, visual display products and much, much more.



Shipped In  
**48**  
HOURS

We are laser focused on delivering you exactly what you need—when you need it. Visit [asi-globalpartitions.com](http://asi-globalpartitions.com) for details. No one beats our 48 hour delivery.



© 2019 ASI Global Partitions

900 Clary Connector  
Eastanollee, GA 30538  
Phone: 706.827.2700  
Fax: 706.827.2710  
Web: [asi-globalpartitions.com](http://asi-globalpartitions.com)

ASI107880519