

Expanded
Ultimate Privacy™
Collection



ASi® *Global
Partitions*

**THE LARGEST SELECTION OF
ULTIMATE
PRIVACY™
OPTIONS IN THE INDUSTRY.**

ASI offers the most comprehensive collection of Ultimate Privacy toilet partitions in the industry. Ultimate Privacy Phenolic and Alpaco partitions feature self closing overlapping doors to remove sightlines into the stall. Ultimate Privacy Powder Coated and Stainless Steel partitions feature our no-sight system—a continuous strike keeper and continuous hinge side filler that eliminates sightlines into the stall. A variety of patterns and colors allows for design flexibility to complement any washroom.



Phenolic - Ultimate Privacy

Phenolic partitions are strong, durable and feature doors and panels up to 72" high. Self-Closing rebated doors overlap to remove any sightlines into the stall to ensure privacy.



Powder Coated - Ultimate Privacy

These powder coated steel partitions provide both quality and economy. Features doors and panels up to 72" high, with no-sight system.



Stainless Steel - Ultimate Privacy

Stainless steel partitions offer a modern look that stays fresh over time along with their engineered durability. Features doors and panels up to 72" high, with no-sight system.



Alpaco Classic

Alpaco Classic partitions combine simplicity and functionality. Design features include dramatic lines, bold hardware and adjustable pedestals to level any inconsistencies in the floor.



Alpaco Elegance

Alpaco Elegance partitions are both strong and graceful with sophisticated details. They are available in a wide range of colors and finishes.

Construction Features



ADA Compliance for Extra Height Stalls: For stalls to be ADA compliant they must be configured differently allowing for toe clearance under the panels and doors. This can be achieved by adding depth and width to the stall, or by mounting doors and panels at least 9" off the finished floor."

Please follow all ADA guidelines, making sure to also consider any local requirements.




NO-SIGHT SYSTEM

Continuous stop and hinge side filler eliminate sightlines into the compartment.

Available with:

- Phenolic
- Solid Plastic (HDPE)
- Stainless Steel
- Powder Coated




OCCUPANCY INDICATOR

Occupancy latch with an emergency access capability indicates when stall is occupied.

Available with:

- Phenolic
- Solid Plastic (HDPE)
- Alpaco Classic
- Alpaco Elegance




FLUSH FINISH SELF-CLOSING DOORS

All of our self-closing doors and pilasters meet in a flush finish with routed, overlapping closures for guaranteed privacy.

Available with:

- Phenolic
- Alpaco Classic
- Alpaco Elegance



EASY-STALL SHOE

For floor anchored overhead braced.

Easily adjusted leveling bolt.

True concrete anchor screws designed for lasting holding power.


Anchor rated at 2770 lbs. pullout strength.

Made of Type 304 stainless steel.


Available with:

- Phenolic
- Solid Plastic (HDPE)


ASI GLOBAL STYLES




Floor Anchored/Overhead Braced



Floor Anchored



Ceiling Hung



Floor to Ceiling Anchored



ADA Compliance for Extra Height Stalls: For stalls to be ADA compliant they must be configured differently allowing for toe clearance under the panels and doors. This can be achieved by adding depth and width to the stall, or by mounting doors and panels at least 9" off the finished floor.

Please follow all ADA guidelines, making sure to also consider any local requirements.

ASI ULTIMATE PRIVACY SIZES

Alpaco	Style	Mounting Configuration	<ul style="list-style-type: none"> Door & Panel Height Mounting Height 	Cost vs Phenolic UP-72	Privacy Construction
Classic	European Style Phenolic Partitions	Floor Mounted Overhead Braced with Adjustable Pedestals	<ul style="list-style-type: none"> 76-3/4" Doors & Panels 6" or 9" Above Finished Floor 	+ 45%	<ul style="list-style-type: none"> Doors & Pilasters interlock with Zero-Sightline™ routed edges PLUS, Continuous Brackets
Elegance			<ul style="list-style-type: none"> 78.6" Doors & Panels 6" or 9" Above Finished Floor 	+ 45%	
Material	System	Mounting Configuration	<ul style="list-style-type: none"> Door & Panel Height Mounting Height 	Cost vs Standard Offering	Privacy Construction
Stainless Steel OR Powder Coated Steel	Ultimate Privacy	<ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor Mounted Floor to Ceiling Ceiling Hung 	<ul style="list-style-type: none"> 58" Doors & Panels 12" Above Finished Floor 	+ 12%	<ul style="list-style-type: none"> No-Sight System™, includes <ul style="list-style-type: none"> - Continuous Strike Keeper - Continuous Hinge Side Filler PLUS, Continuous Brackets
	Ultimate Privacy-64		<ul style="list-style-type: none"> 64" Doors & Panels 6" or 9" Above Finished Floor 	+ 35%	
	Ultimate Privacy-72	<ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor to Ceiling 	<ul style="list-style-type: none"> 72" Doors & Panels 6" or 9" Above Finished Floor 	+ 45%	
Phenolic	Ultimate Privacy	<ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor Mounted Floor to Ceiling Ceiling Hung 	<ul style="list-style-type: none"> 58" Doors & Panels 12" Above Finished Floor 	+ 15%	<ul style="list-style-type: none"> Doors & Pilasters interlock with Zero-Sightline™ routed edges PLUS, Continuous Brackets OR Continuous Strike Keeper Continuous Hinge PLUS, Continuous Brackets
	Ultimate Privacy-64		<ul style="list-style-type: none"> 64" Doors & Panels 6" or 9" Above Finished Floor 	+ 40%	
	Ultimate Privacy-72	<ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor to Ceiling 	<ul style="list-style-type: none"> 72" Doors & Panels 6" or 9" Above Finished Floor 	+ 50%	
Solid Plastic (HDPE)	No-Sight-55	<ul style="list-style-type: none"> Floor Mounted Overhead Braced Floor Mounted Floor to Ceiling Ceiling Hung 	<ul style="list-style-type: none"> 55" Doors & Panels 14" Above Finished Floor 	+ 20%	<ul style="list-style-type: none"> Doors & Pilasters interlock with Zero-Sightline™ routed edges PLUS, Continuous Brackets OR Continuous Strike Keeper Continuous Hinge PLUS, Continuous Brackets



900 Clary Connector
 Eastanollee, Georgia 30538
 Phone: 706.827.2700
 Fax: 706.827.2710
 Web: asi-globalpartitions.com